

Advanced Coolant Technologies 22643-113 Avenue Edmonton, Alberta, Canada, T5S 2S3 Telephone: (780) 488 0777

Concentrated Heavy Duty Extended Life Antifreeze

SDS Preparation Date (mm/dd/yyyy): 12/15/2016 Page 1 of 10

# SAFETY DATA SHEET

# **SECTION 1. IDENTIFICATION**

Product identifier used on the label

: Concentrated Heavy Duty Extended Life Antifreeze

Product Code(s) : Not available.

Recommended use of the chemical and restrictions on use

: Antifreeze

Use pattern: Professional Use Only Restriction on use: None known

Chemical family : Glycols.

Name, address, and telephone number

of the supplier:

telephone number Name, address, and telephone number of the manufacturer:

Refer to supplier

# Advanced Coolant Technologies

22643-113 Avenue Edmonton, Alberta, Canada

T5S 2S3

Supplier's Telephone # : 780-488-0777 **24 Hr. Emergency Tel #** : 780-488-0777

## SECTION 2. HAZARDS IDENTIFICATION

## Classification of the chemical

Clear colourless liquid. Odorless.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Hazard classification

Acute toxicity, oral - Category 4 Reproductive toxicity- Category 2

Specific target organ toxicity, single exposure - Category 2 (kidneys)

Specific Target Organ Toxicity, Single Exposure - Category 3 narcotic effects

#### Label elements

Hazard pictogram(s)





Signal Word

Warning!

Hazard statement(s)

Harmful if swallowed. Suspected of damaging the unborn child. May cause damage to the kidneys if swallowed. May cause drowsiness or dizziness.



Telephone: (780) 488 0777

Page 2 of 10

**Concentrated Heavy Duty Extended Life Antifreeze** 

SDS Preparation Date (mm/dd/yyyy): 12/15/2016

# SAFETY DATA SHEET

## Precautionary statement(s)

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Do not breathe mist or vapor.

Wear protective gloves/clothing and eye/face protection.

If exposed or concerned: Call a POISON CENTER or doctor/physician.

IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell.

Rinse mouth.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Other hazards

Other hazards which do not result in classification:

May cause eye, skin and respiratory tract irritation.

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

## Pure substance

Eye contact

Chemical name	Common name and synonyms	CAS#	Concentration (% by weight)
Ethylene glycol	1,2-Ethanediol 1,2-Dihydroxyethane EG	107-21-1	99.00

#### SECTION 4. FIRST-AID MEASURES

#### Description of first aid measures

: Call a physician or poison control centre immediately. Induce vomiting ONLY under Ingestion

the direct supervision of qualified medical personnel or a poison control centre. Never

give anything by mouth to an unconscious person.

: Immediately remove person to fresh air. If breathing has stopped, give artificial Inhalation

respiration. Get medical attention if symptoms persist.

Skin contact : Immediately flush with plenty of water, while removing contaminated clothing. If

irritation persists, seek prompt medical attention. Launder clothing before reuse.

: Immediately flush eye(s) with plenty of water. After initial flushing, remove any contact

lenses if worn, and continue flushing for at least 5 to 10 minutes. If irritation persists, seek prompt medical attention.

## Most important symptoms and effects, both acute and delayed

: Harmful if swallowed. May cause damage to the kidneys if swallowed. May cause drowsiness or dizziness. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects. May cause slight eye and skin irritation. Symptoms include: Redness, swelling, itching and dryness. Suspected of damaging the unborn child.

Telephone: (780) 488 0777

# Concentrated Heavy Duty Extended Life Antifreeze

SDS Preparation Date (mm/dd/yyyy): 12/15/2016 Page 3 of 10

## SAFETY DATA SHEET

#### Indication of any immediate medical attention and special treatment needed

: Immediate medical attention is required. May be harmful or fatal if swallowed. Use of ethanol may be helpful to counter the toxic effects of ethylene glycol by interfering with the absorption rate in the stomach and intestine. Onset of symptoms may be delayed for 18 to 24 hours after ingestion. Symptoms may be delayed.

#### SECTION 5. FIRE-FIGHTING MEASURES

## Extinguishing media

Suitable extinguishing media

: Use media suitable to the surrounding fire such as water fog or fine spray, alcohol foams, carbon dioxide and dry chemical.

Unsuitable extinguishing media

: Do not use a solid water stream as it may scatter and spread fire.

## Special hazards arising from the substance or mixture / Conditions of flammability

: Burning produces obnoxious and toxic fumes.

#### Flammability classification (OSHA 29 CFR 1910.106)

: Not flammable.

#### **Hazardous combustion products**

: Carbon oxides, formaldehyde and other irritating fumes and smoke.

#### Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Special fire-fighting procedures

: Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

: Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment including self-contained breathing apparatus. Refer to Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION, for additional information on acceptable personal protective equipment.

# **Environmental precautions**

Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply.

# Methods and material for containment and cleaning up

: Ventilate the area. Stop spill or leak at source if safely possible. Dike for water control. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13).

## Special spill response procedures

If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802).

US CERCLA Reportable quantity (RQ): Ethylene glycol (5000 lbs / 2270 kg).

# SECTION 7. HANDLING AND STORAGE



Telephone: (780) 488 0777

**Concentrated Heavy Duty Extended Life Antifreeze** 

SDS Preparation Date (mm/dd/yyyy): 12/15/2016

Page 4 of 10

## SAFETY DATA SHEET

: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. This material is a harmful liquid. Wear protective gloves/clothing and eye/face protection. Refer to Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION, for additional information on acceptable personal protective equipment. Use with adequate ventilation. Do not ingest. Do not breathe mist or vapor. Avoid contact with eyes, skin and clothing. Wash with soap and water after handling. Keep away from extreme heat and flame. Keep away from acids and other incompatibles. Use caution when opening cap. Keep containers tightly closed when not in use. Empty containers retain residue (liquid and/or vapour) and can be dangerous.

Conditions for safe storage :

Store in a cool, dry, well-ventilated area. Store away from areas of excessive heat, open flames, sparks, and other possible sources of ignition. Keep away from incompatibles. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or

Incompatible materials

: Alkalies ;Strong oxidizing agents;Strong acids.

## SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:				
Chemical Name	ACGIH TLV	OSHA PEL		
	TWA STEL	PEL STEL		
Ethylene glycol	100 mg/m³ (aerosol) N/Av (Ceiling)	50 ppm (final rule N/Av limit)		

## **Exposure controls**

Ventilation and engineering measures

: Use sufficient mechanical ventilation to maintain exposures below the TLV. Use local

exhaust if mist or spray is generated.

: Respiratory protection is required if the concentrations exceed the TLV. Respiratory protection

NIOSH-approved respirators are recommended. Seek advice from respiratory protection specialists. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR

1910.134) or CSA Z94.4-02.

Wear impervious gloves, such as butyl rubber. Advice should be sought from glove Skin protection

suppliers.

Eye / face protection Chemical goggles are recommended when there is a potential for splashing.

Other protective equipment : Emergency showers and eyewash facilities should be nearby. Wear a chemically

resistant apron and long sleeves when dispensing, to prevent skin contact.

General hygiene considerations

: Do not breathe mist or vapor. Avoid contact with eyes, skin and clothing. When using do not eat or drink. When using do not smoke. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse.

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** : Clear, colourless liquid. Odour Little or no odour.

Odour threshold : N/Av Ha : N/Av

Melting/Freezing point : Not available.





Concentrated Heavy Duty Extended Life

**Antifreeze** 

SDS Preparation Date (mm/dd/yyyy): 12/15/2016 Page 5 of 10

# SAFETY DATA SHEET

Initial boiling point and boiling range

: 108°C (226.4°F)

Flash point : 111°C (232°F)
Flashpoint (Method) : closed cup
Evaporation rate (BuAe = 1) : N/Av

Flammability (solid, gas) : Not applicable.

Lower flammable limit (% by vol.)

: 3.2%

Upper flammable limit (% by vol.)

: 15.0%

Oxidizing properties : None known. Explosive properties : Not explosive

Vapour pressure : 0.05
Vapour density : 2.1
Relative density / Specific gravity

: 1.0651

Solubility in water : Complete
Other solubility(ies) : Not available.

Partition coefficient: n-octanol/water or Coefficient of water/oil distribution

: -1.36

**Auto-ignition temperature** : 398°C (748°F) **Decomposition temperature** : Not available.

Viscosity : 21 cp @ 20°C (68°F)
Volatiles (% by weight) : No information available.

Volatile organic Compounds (VOC's)

: N/Av

Absolute pressure of container

: N/Ap

Flame projection length : N/Ap Other physical/chemical comments

: None known or reported by the manufacturer.

# SECTION 10. STABILITY AND REACTIVITY

**Reactivity**: Not normally reactive.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : Avoid excessive heat, sparks and open flame. Do not use in areas without adequate

ventilation. Avoid contact with incompatible materials.

Incompatible materials : Strong oxidizing agents; Strong acids; Strong alkalis.

Hazardous decomposition products

: None known, refer to hazardous combustion products in Section 5.

#### SECTION 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure:

Routes of entry inhalation : YES Routes of entry skin & eye : YES



**Advanced Coolant Technologies** 22643-113 Avenue Edmonton, Alberta, Canada, T5S 2S3 Telephone: (780) 488 0777

#### **Concentrated Heavy Duty Extended Life Antifreeze**

Page 6 of 10 SDS Preparation Date (mm/dd/yyyy): 12/15/2016

# SAFETY DATA SHEET

**Routes of entry Ingestion** : YES Routes of exposure skin absorption : YES

**Potential Health Effects:** 

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

If mists are inhaled, may cause tearing, general anesthesia, headache, coughing, respiratory stimulation, nausea, vomiting, pulmonary, kidney and liver damage.

Sign and symptoms ingestion

: Harmful or fatal if swallowed. Human poison by ingestion (lethal dose of Ethylene glycol for humans reported to be 100 mL). Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects. Initially, the central nervous system is stimulated, followed by depression. Could cause cyanosis (bluish discoloration of the skin due to deficient oxygenation of the blood). May potentially result in lethal kidney damage. Could also cause convulsions, coma, respiratory arrest and death.

Sign and symptoms skin

: May cause mild skin irritation. Product may be absorbed and cause symptoms similar

to those listed for ingestion.

Sign and symptoms eyes May cause mild eye irritation. Symptoms may include inflammation and tearing.

**Potential Chronic Health Effects** 

: Prolonged or repeated ingestion may cause bladder or kidney stones.

Mutagenicity : Not expected to be mutagenic.

Carcinogenicity : No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

Reproductive effects & Teratogenicity

: This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products

Regulations) (WHMIS 2015). Classification:

Reproductive toxicity -Category 2 Suspected of damaging the unborn child.

Sensitization to material

Not expected to be a skin or respiratory sensitizer.

Specific target organ effects: Eyes, skin, respiratory system, central nervous system, liver and kidneys. This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification:

Specific target organ toxicity, single exposure-Category 2

Specific Target Organ Toxicity, Single Exposure - Category 3 narcotic effects

May cause damage to the kidneys if swallowed.

May cause drowsiness or dizziness.


Not classified as specific target organ toxicity-repeated exposure.

Medical conditions aggravated by overexposure

: Pre-existing skin or eye disorders, and impaired liver or kidney functions.

Synergistic materials : Not available.

Toxicological data : See below for toxicological data on the substance.





Concentrated Heavy Duty Extended Life Antifreeze

SDS Preparation Date (mm/dd/yyyy): 12/15/2016

Page 7 of 10

# SAFETY DATA SHEET

	LCso(4hr)	LD <sub>50</sub>		
Chemical name	inh, rat	(Oral, rat)	(Rabbit, dermal)	
Ethylene glycol	4300 ppm (10.92 mg/L) (aerosol)	4000 mg/kg (rat) The estimated human lethal dose is: 1110 - 1665 mg/kg	9530 mg/kg	

## Other important toxicological hazards

: CNS depression may result from extreme exposures.

# SECTION 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

: See the following tables for individual ingredient ecotoxicity data.

# Ecotoxicity data:

<u>Ingredients</u>	040 N-	7	Γoxicity to Fish	
	CAS No	LC50 / 96h	NOEC / 21 day	M Factor
Ethylene glycol	107-21-1	22 810 mg/L (Rainbow trout	N/Av	None.

<u>Ingredients</u>	CAS No	Toxicity to Daphnia				
		EC50 / 48h	NOEC / 21 day	M Factor		
Ethylene glycol	107-21-1	49 000 mg/L (Daphnia magna)	7500 - 15 000 mg/L	None.		

<u>Ingredients</u>	CAS No	Toxicity to Algae					Toxicity to Algae		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor					
Ethylene glycol	107-21-1	6500 - 13 000 mg/L/96hr (Green algae)	10 000 mg/L/96hr	None.					

# Persistence and degradability

: Ethylene glycol is considered to be readily biodegradable.

**Bioaccumulation potential**: No data is available on the product itself.

Components	Partition coefficient n-octanol/water (log Kow)	Bioconcentration factor (BCF)
Ethylene glycol (CAS 107-21-1)	- 1.36	10

**Mobility in soil** : No data is available on the product itself.

#### Other Adverse Environmental effects

: No data is available on the product itself.


# SECTION 13. DISPOSAL CONSIDERATIONS

Handling for Disposal

: Handle waste according to recommendations in Section 7.

**Methods of Disposal** 

: Dispose in accordance with all applicable federal, state, provincial and local regulations.





Concentrated Heavy Duty Extended Life Antifreeze

SDS Preparation Date (mm/dd/yyyy): 12/15/2016

Page 8 of 10

# SAFETY DATA SHEET

**RCRA** 

: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

## SECTION 14. TRANSPORTATION INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label			
49CFR/DOT	None	Not regulated.	Not regulated	none	$\bigotimes$			
49CFR/DOT Additional information	If the quantity of Ethylene glycol is greater than 5000 pounds per container, the following DOT shipping description applies: RQ UN3082, Environmentally hazardous substances, liquid, n.o.s. (Ethylene glycol), 9, III.							
TDG	None	Not regulated.	Not regulated	none	$\otimes$			
TDG Additional information	None.							

Special precautions for user: None known or reported by the manufacturer.

Environmental hazards: See ECOLOGICAL INFORMATION, Section 12.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not available.

# SECTION 15 - REGULATORY INFORMATION

## **US Federal Information:**

Components listed below are present on the following U.S. Federal chemical lists:

	TSCA TSCA		CERCLA Reportable	SARA TITLE III: Sec. 302, Extremely	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical		
<u>Ingredients</u>	CAS#	Inventory	Quantity(RQ) (40 CFR 117.302):	Hazardous Substance, 40 CFR 355:	Toxic Chemical	de minimus Concentration	
Ethylene glycol	107-21-1	Yes	5000 lb/ 2270 kg	None.	Yes	1%	

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Immediate (Acute) health hazard; Chronic health hazard. Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

# **US State Right to Know Laws:**

The following chemicals are specifically listed by individual States:



Telephone: (780) 488 0777

# Concentrated Heavy Duty Extended Life Antifreeze

SDS Preparation Date (mm/dd/yyyy): 12/15/2016

Page 9 of 10

# SAFETY DATA SHEET

<u>Ingredients</u>	CAS#	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Ethylene glycol	107-21-1	No	N/Ap	Yes	Yes	Yes	Yes	Yes	Yes

## **Canadian Information:**

WHMIS Classification: Refer to Section 2 for a WHMIS Classification for this product. All ingredients are present on the DSL.

#### **International Information:**

Components listed below are present on the following International Inventory list:

Ingredients	CAS#	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Ethylene glycol	107-21-1	203-473-3	Present	Present	(2)-230	KE-13169	Present	HSR001534

## SECTION 16. OTHER INFORMATION

Legend

: ACGIH: American Conference of Governmental Industrial Hygienists

CA: California

CAS: Chemical Abstract Services

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

of 1980

CFR: Code of Federal Regulations CNS: Central Nervous System COC: Cleveland Open Cup

CSA: Canadian Standards Association DOT: Department of Transportation

EPA: Environmental Protection Agency
HMIS: Hazardous Materials Identification System
HSDB: Hazardous Substances Data Bank

IARC: International Agency for Research on Cancer

Inh: Inhalation

LC: Lethal Concentration

LD: Lethal Dose MA: Massachusetts MN: Minnesota N/Ap: Not Applicable N/Av: Not Available

NFPA: National Fire Protection Association

NIOSH: National Institute of Occupational Safety and Health

NJ: New Jersey

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PA: Pennsylvania

PEL: Permissible exposure limit

RCRA: Resource Conservation and Recovery Act

RI: Rhode Island

RTECS: Registry of Toxic Effects of Chemical Substances SARA: Superfund Amendments and Reauthorization Act

STEL: Short Term Exposure Limit TLV: Threshold Limit Values



Telephone: (780) 488 0777

## **Concentrated Heavy Duty Extended Life Antifreeze**

Page 10 of 10 SDS Preparation Date (mm/dd/yyyy): 12/15/2016

# SAFETY DATA SHEET

TWA: Time Weighted Average

WHMIS: Workplace Hazardous Materials Identification System

References 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents &

Biological Exposure Indices for 2016

2. International Agency for Research on Cancer Monographs, searched 2016

3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases.

2016(Chempendium, HSDB and RTECs).

4. Material Safety Data Sheets from manufacturer.

5. US EPA Title III List of Lists - 2016 version. 6. California Proposition 65 List - 2016 version.

7. OECD - The Global Portal to Information on Chemical Substances -

eChemPortal,2016.

Preparation Date (mm/dd/yyyy)

: 12/15/2016

Other special considerations for handling

: Provide adequate information, instruction and training for operators.

## Prepared for:

**Advanced Coolant Technologies** 22643-113 Avenue Edmonton, AB, Canada T2S 2S3 Telephone: (80) 488-0777

Direct Inquires to: Advanced Coolant Technologies



# Prepared by:

ICC The Compliance Center Inc. Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada)

http://www.thecompliancecenter.com



## **DISCLAIMER**

This Safety Data Sheet was prepared by ICC The Compliance Center Inc using information provided by / obtained from Advanced Coolant Technologies and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Advanced Coolant Technologies expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc and Advanced Coolant Technologies.

#### END OF DOCUMENT