DURON [™] ADVANCED 5W-30



000003005426

Version 2.3

Revision Date 2019/05/09

Print Date 2019/05/09

SECTION 1. IDENTIFICATION

Product name :	DURON ™ ADVANCED 5W-30
Product code :	DFA53DCT, DFA53ICT, DFA53P5R, DFA53C16, DFA53C12, DFA53P20, DFA53DRR, DFA53IBC, DFA53DRM, DFA53BLK, DFA53
Manufacturer or supplier's deta	ails Petro-Canada Lubricants Inc. 2310 Lakeshore Road West Mississauga ON L5J 1K2 Canada
Emergency telephone number	
Emergency telephone number :	Petro-Canada Lubricants Inc.: +1 905-403-5770; CHEMTREC Transport Emergency: 1-800-424-9300; Poison Control Centre: Consult local telephone directory for emergency number(s).
Recommended use of the chem	nical and restrictions on use
Recommended use :	DURON ADVANCED 5W-30 is a superior quality heavy duty diesel engine oil specifically designed for enabling improved fuel economy in 2017 MY engines (and beyond) that specify API Service FA-4. Duron Advanced 5W-30 may be back serviceable in some applications, but only as recommended by the OEM.
Prepared by :	Product Safety: +1 905-491-0565

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	viscous liquid
Colour	light brown
	5
Odour	Mild petroleum oil like.

GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

GHS label elements


Not a hazardous substance or mixture.

Potential Health Effects

Primary Routes of Entry	: Skin contact Eye contact Inhalation Ingestion

DURON [™] ADVANCED 5W-30

000003005426



No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
distillates (petroleum), hydrotreated	64742-54-7	50 - 70
heavy paraffinic		
distillates (petroleum), solvent-	64742-65-0	1 - 5
dewaxed heavy paraffinic		
lubricating oils (petroleum), C20-50,	72623-87-1	1 - 5
hydrotreated neutral oil-based		
lubricating oils (petroleum), C15-30,	72623-86-0	1 - 5
hydrotreated neutral oil-based		

SECTION 4. FIRST AID MEASURES

If inhaled	 Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.
In case of skin contact	 In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Seek medical advice.
In case of eye contact	 Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.
If swallowed	 Rinse mouth with water. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Seek medical advice.



DURON [™] ADVANCED 5W-30



000003005426

Version 2.3	Revision Date 2019/05/09	Print Date 2019/05/09
Most important symptoms and effects, both acute and delayed	: First aider needs to protect himself.	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Unsuitable extinguishing media	:	No information available.
Specific hazards during fire- fighting	:	Cool closed containers exposed to fire with water spray.
Hazardous combustion prod- ucts	:	Carbon oxides (CO, CO2), nitrogen oxides (NOx), sulphur oxides (SOx), phosphorus oxides (POx), sulphur compounds (H2S), zinc oxides (ZnOx), metal oxides, hydrocarbons, smoke and irritating vapours as products of incomplete com- bustion.
Further information	:	Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene.
Environmental precautions	:	If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Prevent further leakage or spillage if safe to do so. Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	None known.
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. In case of insufficient ventilation, wear suitable respiratory
rnati lubricanta natra canada com/a	40	

DURON [™] ADVANCED 5W-30



000003005426

Version 2.3	Revision Date 2019/05/09	Print Date 2019/05/09
	equipment. Avoid contact with skin, eyes an Do not ingest. Keep away from heat and sourc Keep container closed when not	es of ignition.
Conditions for safe storage	 Store in original container. Containers which are opened m kept upright to prevent leakage. Keep in a dry, cool and well-ven Keep container closed when not 	tilated place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	TWA (Mist)	5 mg/m3	CA AB OEL
		STEL (Mist)	10 mg/m3	CA AB OEL
		TWAEV (Mist)	5 mg/m3	CA QC OEL
		STEV (Mist)	10 mg/m3	CA QC OEL
		TWA (Inhal- able fraction)	5 mg/m3	ACGIH
lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	72623-86-0	TWA (Mist)	5 mg/m3	CA AB OEL
		STEL (Mist)	10 mg/m3	CA AB OEL
		TWAEV (Mist)	5 mg/m3	CA QC OEL
		STEV (Mist)	10 mg/m3	CA QC OEL
		TWA (Inhal- able fraction)	5 mg/m3	ACGIH

Components with workplace control parameters

Engineering measures	:	No special ventilation requirements. Good general ventilation
		should be sufficient to control worker exposure to airborne
		contaminants.

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Hand protection Material	:	neoprene, nitrile, polyvinyl alcohol (PVA), Viton(R).

DURON [™] ADVANCED 5W-30



000003005426

Version 2.3		Revision Date 2019/05/09	Print Date 2019/05/09
Remarks	:	Chemical-resistant, impervious gloves approved standard should be worn at chemical products if a risk assessmen essary.	all times when handling
Eye protection	:	Wear face-shield and protective suit for problems.	or abnormal processing
Skin and body protection	:	Choose body protection in relation to i tration and amount of dangerous subs cific work-place.	
Protective measures	:	Wash contaminated clothing before re No special protective equipment requi	
Hygiene measures	:	Remove and wash contaminated cloth ing the inside, before re-use. Wash face, hands and any exposed sh handling.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	viscous liquid
Colour	:	light brown
Odour	:	Mild petroleum oil like.
Odour Threshold	:	No data available
рН	:	No data available
Pour point	:	-39 °C (-38 °F)
Boiling point/boiling range	:	No data available
Flash point	:	217 °C (423 °F) Method: Cleveland open cup
Fire Point	:	No data available
Evaporation rate	:	No data available
Auto-ignition temperature	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available

DURON [™] ADVANCED 5W-30



000003005426

Version 2.3		Revision Date 2019/05/09	Print Date 2019/05/09
Density	:	0.8576 kg/l (15 °C / 59 °F)	
Solubility(ies) Water solubility	:	insoluble	
Partition coefficient: n-	:	No data available	
Viscosity Viscosity, kinematic	:	56.3 cSt (40 °C / 104 °F) 10.0 cSt (100 °C / 212 °F)	
Explosive properties	:	Do not pressurise, cut, weld, braze, so pose containers to heat or sources of it	

SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous reac- tions	:	Hazardous polymerisation does not occur. Stable under normal conditions.
Conditions to avoid	:	No data available
Incompatible materials	:	Reactive with oxidising agents.
Hazardous decomposition products	:	May release COx, H2S, smoke and irritating vapours when heated to decomposition.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological Information on likely routes of exposure		
Acute toxicity		
Product:		
Acute oral toxicity	:	Remarks: No data available
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	Remarks: No data available
<u>Components:</u> distillates (petroleum), solve Acute oral toxicity	ent-	dewaxed heavy paraffinic: LD50 (Rat): > 5,000 mg/kg,

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg,

DURON [™] ADVANCED 5W-30

000003005426

Version 2.3

Revision Date 2019/05/09



Print Date 2019/05/09 Skin corrosion/irritation Product: Remarks No data available : Serious eye damage/eye irritation Product: Remarks : No data available Respiratory or skin sensitisation No data available Germ cell mutagenicity No data available Carcinogenicity No data available **Reproductive toxicity** No data available STOT - single exposure No data available STOT - repeated exposure

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:		
Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available

Persistence and degradability

Product:

Bioaccumulative potential

No data available

Mobility in soil

No data available

DURON [™] ADVANCED 5W-30



000003005426

Version 2.3

Revision Date 2019/05/09

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	The product should not be allowed to enter drains, water courses or the soil.
		Offer surplus and non-recyclable solutions to a licensed disposal company.
		Waste must be classified and labelled prior to recycling or disposal.
		Send to a licensed waste management company.
		Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code Not regulated as a dangerous good

National Regulations

TDG Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

The components of this product are reported in the following inventories:			
DSL	:	On the inventory, or in compliance with the inventory	
TSCA	:	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.	
ELINCS	:	On the inventory, or in compliance with the inventory	

SECTION 16. OTHER INFORMATION

Full text of other abbreviations				
ACGIH	: USA. ACGIH Threshold Limit Values (TLV)			
CA AB OEL	: Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)			
CA QC OEL	: Québec. Regulation respecting occupational health and safe- ty, Schedule 1, Part 1: Permissible exposure values for air- borne contaminants			
ACGIH / TWA	: 8-hour, time-weighted average			

DURON [™] ADVANCED 5W-30



000003005426

	Version	2.3
--	---------	-----

Revision Date 2019/05/09

Print Date 2019/05/09

CA AB OEL / TWA CA AB OEL / STEL		8-hour Occupational exposure limit 15-minute occupational exposure limit
CA QC OEL / TWAEV CA QC OEL / STEV	:	Time-weighted average exposure value Short-term exposure value

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC -No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS -Workplace Hazardous Materials Information System

For Copy of SDS	:	Internet: lubricants.petro-canada.com/sds Western Canada, telephone: 1-800-661-1199; fax: 1-800-378- 4518 Ontario & Central Canada, telephone: 1-800-268-5850; fax: 1- 800-201-6285 Quebec & Eastern Canada, telephone: 1-800-576-1686; fax: 1-800-201-6285 For Product Safety Information: 1 905-491-0565
Prepared by	:	Product Safety: +1 905-491-0565

Revision Date : 2019/05/09

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific

DURON [™] ADVANCED 5W-30

000003005426

Version 2.3

Revision Date 2019/05/09

Print Date 2019/05/09

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN

