000003005492

Version 4.3	Revision Date 2019/12/20	Print Date 2019/12/20
SECTION 1. IDENTIFICATION		
Product name :	DURON ^{™/MC} HP 15W-40	
Synonyms :	63-64850	
Product code :	DHP15B6U, DHP15BLK, DHP15ICT, D DHP15C12, DHP15C16, DHP15P20, D DHP15IBC, DHP15DCT, DHP15	
Manufacturer or supplier's deta Telephone :	Petro-Canada Lubricants Inc. 2310 Lakeshore Road West Mississauga ON L5J 1K2 Canada	
Emergency telephone number		
Emergency telephone number :	CHEMTREC: 1-800-424-9300; Poison Control Centre: Consult local tel emergency number(s).	ephone directory for
Recommended use of the chen	nical and restrictions on use	
Recommended use :	DURON HP 15W-40 is a superior quali engine oil specifically designed for '07 l requirements along with improved perfe legacy engines. Application includes m diesel engines with cooled exhaust gas exhaust after treatment technology. It is	EPA engine ormance benefits in odern low emission s recirculation and s suitable also for

: Product Safety: +1 905-491-0565 Prepared by

ignition engines.

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	viscous liquid
Colour	light brown
Odour	Mild petroleum oil like.

passenger car and light truck diesel engines, and spark

GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Potential Health Effects

Primary Routes of Entry

: Skin contact Eye contact Inhalation

DURON TM/MC HP 15W-40

000003005492



Version 4.3	Revision Date 2019/12/20	Print Date 2019/12/20
	Ingestion	
Aggravated Medical Condi- tion	: None known.	
Other hazards None known.		
IARC	No component of this product present equal to 0.1% is identified as probable human carcinogen by IARC.	
ACGIH	No component of this product present equal to 0.1% is identified as a carcino gen by ACGIH.	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
lubricating oils (petroleum), C20-50,	72623-87-1	70 - 90
hydrotreated neutral oil-based		
lubricating oils (petroleum), C15-30,	72623-86-0	30 - 50
hydrotreated neutral oil-based		
lubricating oils (petroleum), C20-50,	72623-85-9	30 - 50
hydrotreated neutral oil-based, high		
viscosity		
A mixture of isomers of: C7-9-alkyl 3-	125643-61-0	2.5 - 5
(3,5-di-trans-butyl-4-		
hydroxyphenyl)propionate		
bis(nonylphenyl)amine	36878-20-3	1 - 2.5
Zinc alkyldithiophosphate	113706-15-3	1 - 2.5
distillates (petroleum), solvent-	64742-65-0	1 - 5
dewaxed heavy paraffinic		

SECTION 4. FIRST AID MEASURES

If inhaled	:	Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Seek medical advice.
In case of eye contact	:	Remove contact lenses.

DURON TM/MC HP 15W-40



000003005492

Version 4.3		Revision Date 2019/12/20	Print Date 2019/12/20	
		Rinse immediately with plenty of water for at least 15 minutes. Obtain medical attention.	, also under the eyelids,	
If swallowed	:	Rinse mouth with water. DO NOT induce vomiting unless direct cian or poison control center. Never give anything by mouth to an ur Seek medical advice.		
Most important symptoms and effects, both acute and delayed	:	First aider needs to protect himself.		

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Unsuitable extinguishing media	:	No information available.
Specific hazards during fire- fighting	:	Cool closed containers exposed to fire with water spray.
Hazardous combustion prod- ucts	:	Carbon oxides (CO, CO2), nitrogen oxides (NOx), sulphur oxides (SOx), phosphorus oxides (POx), sulphur compounds (H2S), zinc oxides (ZnOx), metal oxides, hydrocarbons, smoke and irritating vapours as products of incomplete com- bustion.
Further information	:	Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene.
Environmental precautions :	If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for : containment and cleaning up	Prevent further leakage or spillage if safe to do so. Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities.

DURON TM/MC HP 15W-40

000003005492

Version 4.3



Print Date 2019/12/20

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	None known.
Advice on safe handling	 For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use.
Conditions for safe storage	 Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. To maintain product quality, do not store in heat or direct sunlight.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	TWA (Mist)	5 mg/m3	CA AB OEL
		STEL (Mist)	10 mg/m3	CA AB OEL
		TWAEV (Mist)	5 mg/m3	CA QC OEL
		STEV (Mist)	10 mg/m3	CA QC OEL
		TWA (Inhal- able fraction)	5 mg/m3	ACGIH
lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	72623-86-0	TWA (Mist)	5 mg/m3	CA AB OEL
		STEL (Mist)	10 mg/m3	CA AB OEL
		TWAEV (Mist)	5 mg/m3	CA QC OEL
		STEV (Mist)	10 mg/m3	CA QC OEL
		TWA (Inhal- able fraction)	5 mg/m3	ACGIH
lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, high viscosity	72623-85-9	TWA (Mist)	5 mg/m3	CA AB OEL
		STEL (Mist)	10 mg/m3	CA AB OEL
		TWAEV (Mist)	5 mg/m3	CA QC OEL
		STEV (Mist)	10 mg/m3	CA QC OEL

DURON TM/MC HP 15W-40

000003005492



sion 4.3		Revision Date 2019/12/20	Print Date	2019/12/20
		TWA (Inhal- able fraction)	5 mg/m3	ACGIH
Engineering measures	:	No special ventilation requirem should be sufficient to control v contaminants.	nents. Good general worker exposure to a	ventilation airborne
Personal protective equip	ment			
Respiratory protection	:	Use respiratory protection unleventilation is provided or exposite that exposures are within record Respirator selection must be been exposure levels, the hazards of working limits of the selected response to the selected	sure assessment de mmended exposure based on known or a of the product and the	monstrates guidelines. nticipated
Filter type	:	organic vapour filter		
Hand protection Material	:	neoprene, nitrile, polyvinyl alco	bhol (PVA), Viton(R)	
Remarks	:	Chemical-resistant, impervious approved standard should be chemical products if a risk ass essary.	worn at all times whe	en handling
Eye protection	:	Wear face-shield and protectiv problems.	e suit for abnormal p	processing
Skin and body protection	:	Choose body protection in relativation and amount of dangero cific work-place.		
Protective measures	:	Wash contaminated clothing b	efore re-use.	
Hygiene measures	:	Remove and wash contaminating the inside, before re-use. Wash face, hands and any explandling.		

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

	Appearance	:	viscous liquid		
	Colour	:	light brown		
	Odour	:	Mild petroleum oil like.		
	Odour Threshold	:	No data available		
	рН	:	No data available		
	Pour point	:	-36 °C (-33 °F)		
	Boiling point/boiling range	:	No data available		
barrent lubricente nature concede com (ada					

DURON TM/MC HP 15W-40

000003005492



/ersion 4.3		Revision Date 2019/12/20	Print Date 2019/12/20
Flash point	:	228 °C (442 °F) Method: Cleveland open cup	
Fire Point	:	247 °C (477 °F)	
Evaporation rate	:	No data available	
Auto-ignition temperature	:	No data available	
Upper explosion limit / Upper flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Vapour pressure	:	No data available	
Relative vapour density	:	No data available	
Relative density	:	No data available	
Density	:	0.8711 kg/l (15 °C / 59 °F)	
Solubility(ies) Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Viscosity Viscosity, kinematic	:	118.2 cSt (40 °C / 104 °F)	
		15.6 cSt (100 °C / 212 °F)	
Explosive properties	:	Do not pressurise, cut, weld, braze, sole pose containers to heat or sources of ig	

SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous reac- tions	:	Hazardous polymerisation does not occur. Stable under normal conditions.
Conditions to avoid	:	No data available
Incompatible materials	:	Reactive with oxidising agents and reducing agents.
Hazardous decomposition products	:	May release COx, H2S, smoke and irritating vapours when heated to decomposition.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Information on likely routes of : Skin contact

DURON TM/MC HP 15W-40

000003005492



sion 4.3		Revision Date 2019/12/20	Print Date 2019/12
exposure		Eye contact Inhalation Ingestion	
Acute toxicity			
Product:			
Acute oral toxicity	:	Remarks: No data available	
Acute inhalation toxicity	:	Assessment: The substance or m tion toxicity Remarks: No data available	ixture has no acute inhala
Acute dermal toxicity	:	Assessment: The substance or m toxicity Remarks: No data available	ixture has no acute derm
Components: Iubricating oils (petroleun Acute oral toxicity	n), C2 :	0-50, hydrotreated neutral oil-ba LD50 (Rat): > 5,000 mg/kg,	sed:
Acute inhalation toxicity	:	LC50 (Rat): > 5.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist	
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg,	
Iubricating oils (petroleun Acute oral toxicity		5-30, hydrotreated neutral oil-bas LD50 (Rat): > 5,000 mg/kg,	sed:
Acute inhalation toxicity	:	LC50 (Rat): > 5.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist	
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg,	
Iubricating oils (petroleun Acute oral toxicity		0-50, hydrotreated neutral oil-ba LD50 (Rat): > 5,000 mg/kg,	sed, high viscosity:
Acute inhalation toxicity		LC50 (Rat): > 5.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist	
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg,	
distillates (petroleum), so Acute oral toxicity		-dewaxed heavy paraffinic: LD50 (Rat): > 5,000 mg/kg,	
Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg,	
Skin corrosion/irritation			

Product:

Remarks : No da	ta available
-----------------	--------------

DURON ^{™/MC} HP 15W-40

000003005492

Version 4.3

Revision Date 2019/12/20



Print Date 2019/12/20

Serious eye damage/eye irritation

Product:

Remarks

: No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available

Persistence and degradability

Product:

Biodegradability	:	Remarks: No data available
------------------	---	----------------------------

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

DURON ^{™/MC} HP 15W-40

000003005492

Version 4.3



SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Offer surplus and non-recyclable solutions to a licensed disposal company. Waste must be classified and labelled prior to recycling or disposal. Send to a licensed waste management company. Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

National Regulations

TDG

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

The components of this product are reported in the following inventories:			
DSL	:	On the inventory, or in compliance with the inventory	
TSCA	:	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.	

SECTION 16. OTHER INFORMATION

Full text of other abbreviations				
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)		
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)		
CA QC OEL	:	Québec. Regulation respecting occupational health and safe- ty, Schedule 1, Part 1: Permissible exposure values for air- borne contaminants		
ACGIH / TWA	:	8-hour, time-weighted average		
CA AB OEL / TWA	:	8-hour Occupational exposure limit		
CA AB OEL / STEL	:	15-minute occupational exposure limit		
CA QC OEL / TWAEV	:	Time-weighted average exposure value		
CA QC OEL / STEV	:	Short-term exposure value		

DURON ^{™/MC} HP 15W-40

000003005492

Version 4.3

Revision Date 2019/12/20

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC -No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS -Workplace Hazardous Materials Information System

For Copy of SDS	:	Internet: lubricants.petro-canada.com/sds Western Canada, telephone: 1-800-661-1199; fax: 1-800-378- 4518 Ontario & Central Canada, telephone: 1-800-268-5850; fax: 1- 800-201-6285 Quebec & Eastern Canada, telephone: 1-800-576-1686; fax: 1-800-201-6285 For Product Safety Information: 1 905-491-0565
Prepared by	:	Product Safety: +1 905-491-0565
Revision Date	:	2019/12/20

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN



Print Date 2019/12/20