HYDREX ^{™/MC} MV 32

000003003885

Version 3.1

Revision Date 2020/02/06



Print Date 2020/02/06

SECTION 1. IDENTIFICATION

Product name	HYDREX TM/MC MV 32
Product code	HDXMV32CBE, HDXMV32ICT, HDXMV32P5R, HDXMV32DCT, HDXMV32DRR, HDXMV32P20, HDXMV32DRM, HDXMV32IBC, HDXMV32BLK, HDXMV32
Manufacturer or supplier's de	tails
	Petro-Canada Lubricants Inc. 2310 Lakeshore Road West Mississauga ON L5J 1K2 Canada 1-905-403-6785
Emergency telephone numbe	r
Emergency telephone number	: CHEMTREC: 1-800-424-9300; Poison Control Centre: Consult local telephone directory for emergency number(s).
Recommended use of the che	mical and restrictions on use
Recommended use :	Hydrex MV multi-grade hydraulic fluids are a premium hydraulic oils designed for use in hydraulic systems that are exposed to wider range of temperatures. It is specifically recommended for woodland, mining, construction, public utility and marine operations. Typically, Hydrex MV Oils are used in hydraulic systems, machine tools, hydraulic presses, rotary compressors, and centrifugal pumps.
Prepared by :	Product Safety: +1 905-491-0565

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	viscous liquid
Colour	Pale, straw-yellow. Under special circumstances this product may contain blue dye.
Odour	Mild petroleum oil like.

GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Potential Health Effects

Primary Routes of Entry	: Eye contact Ingestion Inhalation Skin contact

HYDREX TM/MC MV 32

000003003885



000003003885		
Version 3.1	Revision Date 2020/02/06	Print Date 2020/02/06
tion		
Other hazards		
None known.		
IARC	No component of this product presen equal to 0.1% is identified as probabl human carcinogen by IARC.	
ACGIH	No component of this product presen equal to 0.1% is identified as a carcir gen by ACGIH.	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
lubricating oils (petroleum), C15-30,	72623-86-0	50 - 70
hydrotreated neutral oil-based		
lubricating oils (petroleum), C20-50,	72623-87-1	30 - 50
hydrotreated neutral oil-based		
2,6-di-tert-butylphenol	128-39-2	0.1 - 0.25

SECTION 4. FIRST AID MEASURES

	If inhaled :		Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.
	In case of skin contact :		In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Seek medical advice.
	In case of eye contact :		Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.
	If swallowed :		Rinse mouth with water. DO NOT induce vomiting unless directed to do so by a physi- cian or poison control center. Never give anything by mouth to an unconscious person. Seek medical advice.
	Most important symptoms : and effects, both acute and delayed		First aider needs to protect himself.
Inter	net: lubricants.petro-canada.com/sds	s	Page: 2 /

HYDREX ^{™/MC} MV 32

000003003885

Version 3.1



Print Date 2020/02/06

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Unsuitable extinguishing media	:	No information available.
Specific hazards during fire- fighting	:	Cool closed containers exposed to fire with water spray.
Hazardous combustion prod- ucts	:	Carbon oxides (CO, CO2), smoke and irritating vapours as products of incomplete combustion.
Further information	:	Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec-	:	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene.
Environmental precautions	:	Do not allow uncontrolled discharge of product into the envi- ronment.
Methods and materials for containment and cleaning up	:	Prevent further leakage or spillage if safe to do so. Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	None known.
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Use only with adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use.

HYDREX ^{™/MC} MV 32





Version 3.1		Revision Date 2020/02/06	Print Date 2020/02/06
Conditions for safe storage	:	Store in original container. Containers which are opened mu kept upright to prevent leakage. Keep in a dry, cool and well-venti Keep in properly labelled containe To maintain product quality, do no light.	lated place. ers.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	72623-86-0	TWA (Mist)	5 mg/m3	CA AB OEL
		STEL (Mist)	10 mg/m3	CA AB OEL
		TWAEV (Mist)	5 mg/m3	CA QC OEL
		STEV (Mist)	10 mg/m3	CA QC OEL
		TWA (Inhal- able fraction)	5 mg/m3	ACGIH
lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	TWA (Mist)	5 mg/m3	CA AB OEL
		STEL (Mist)	10 mg/m3	CA AB OEL
		TWAEV (Mist)	5 mg/m3	CA QC OEL
		STEV (Mist)	10 mg/m3	CA QC OEL
		TWA (Inhal- able fraction)	5 mg/m3	ACGIH

Engineering measures : No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Filter type	:	organic vapour filter
Hand protection Material	:	neoprene, nitrile, polyvinyl alcohol (PVA), Viton(R).
Remarks	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling

HYDREX TM/MC MV 32

000003003885



Version 3.1		Revision Date 2020/02/06	Print Date 2020/02/06
		chemical products if a risk assessment essary.	indicates this is nec-
Eye protection	:	Wear face-shield and protective suit for problems.	abnormal processing
Skin and body protection	:	Choose body protection in relation to its tration and amount of dangerous substacific work-place.	
Protective measures	:	Wash contaminated clothing before re-u	use.
Hygiene measures	:	Remove and wash contaminated clothin ing the inside, before re-use. Wash face, hands and any exposed ski handling.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	viscous liquid
Colour	:	Pale, straw-yellow. Under special circumstances this product may contain blue dye.
Odour	:	Mild petroleum oil like.
Odour Threshold	:	No data available
рН	:	No data available
Pour point	:	-51 °C (-60 °F)
Boiling point/boiling range	:	No data available
Flash point	:	236 °C (457 °F) Method: Cleveland open cup
Fire Point	:	No data available
Evaporation rate	:	No data available
Auto-ignition temperature	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
•	: s	0.8458 kg/l (15 °C / 59 °F) Page: 5
	Colour Odour Odour Threshold Odour Threshold pH Pour point Boiling point/boiling range Boiling point/boiling range Flash point Flash point Fire Point Evaporation rate Auto-ignition temperature Auto-ignition temperature Upper explosion limit / Upper flammability limit Cower explosion limit / Lower flammability limit Vapour pressure Relative vapour density Relative density Density	Colour:Odour:Odour Threshold:pH:Pour point:Boiling point/boiling range:Boiling point/boiling range:Flash point:Fire Point:Evaporation rate:Auto-ignition temperature:Upper explosion limit / Upper:flammability limit:Lower explosion limit / Lower:Relative vapour density:Relative density:Density:rutt:

Internet: Iubricants.petro-canada.com/sds ™ Owned or used under license.

HYDREX ^{™/MC} MV 32

000003003885

Version 3.1



Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available
Viscosity Viscosity, kinematic	:	31.9 cSt (40 °C / 104 °F) 6.19 cSt (100 °C / 212 °F)
Explosive properties	:	Do not pressurise, cut, weld, braze, solder, drill, grind or ex- pose containers to heat or sources of ignition.

SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous reac- tions	:	Hazardous polymerisation does not occur. Stable under normal conditions.
Conditions to avoid	:	No data available
Incompatible materials	:	Reactive with oxidising agents and reducing agents.
Hazardous decomposition products	:	May release COx, NOx, SOx, POx, H2S, metal oxides, meth- acrylate monomers, smoke and irritating vapours when heated to decomposition.

SECTION 11. TOXICOLOGICAL INFORMATION

1 Information on toxicological	ef	fects
Information on likely routes of exposure	:	Eye contact Ingestion Inhalation Skin contact
Acute toxicity		
Product:		
Acute oral toxicity	:	Remarks: No data available
Acute inhalation toxicity	:	Assessment: The substance or mixture has no acute inhala- tion toxicity Remarks: No data available
Acute dermal toxicity	:	Assessment: The substance or mixture has no acute dermal toxicity Remarks: No data available

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg,

HYDREX TM/MC MV 32

000003003885



100003003003			
/ersion 3.1		Revision Date 2020/02/06	Print Date 2020/02/06
Acute inhalation toxicity	:	LC50 (Rat): > 5.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist	
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg,	
Iubricating oils (petroleum Acute oral toxicity	i), C2 :	20-50, hydrotreated neutral oil-based: LD50 (Rat): > 5,000 mg/kg,	
Acute inhalation toxicity	:	LC50 (Rat): > 5.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist	
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg,	
Skin corrosion/irritation			
Product:			
Remarks	:	No data available	
Serious eye damage/eye ir	ritat	ion	
<u>Product:</u> Remarks	:	No data available	
Respiratory or skin sensit	isati	on	
No data available			
Germ cell mutagenicity No data available			
Carcinogenicity			
No data available			
Reproductive toxicity			
No data available			
STOT - single exposure No data available			
STOT - repeated exposure			
No data available			
ECTION 12. ECOLOGICAL IN	FOR	MATION	
Ecotoxicity			
Product:			
Toxicity to fish	:	Remarks: No data available	

Toxicity to daphnia and other : Remarks: No data available aquatic invertebrates

HYDREX ^{™/MC} MV 32



000003003885

Version 3.1	Revision Date 2020/02/06	Print Date 2020/02/06
Toxicity to algae :	Remarks: No data available	
Toxicity to microorganisms :	Remarks: No data available	
Persistence and degradability		
Product:		
Biodegradability :	Remarks: No data available	
Bioaccumulative potential No data available		
Mobility in soil		
No data available		
Other adverse effects No data available		

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
	The product should not be allowed to enter drains, water courses or the soil. Offer surplus and non-recyclable solutions to a licensed dis- posal company. Waste must be classified and labelled prior to recycling or disposal. Send to a licensed waste management company. Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

National Regulations

TDG Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

The components of this product are reported in the following inventories:			
DSL	:	On the inventory, or in compliance with the inventory	
TSCA	:	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.	

HYDREX ^{™/MC} MV 32

000003003885

PETRO CANADA

Version 3.1

Revision Date 2020/02/06

IECSC

: On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

Full text of other abbreviations			
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)	
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)	
CA QC OEL	:	Québec. Regulation respecting occupational health and safe- ty, Schedule 1, Part 1: Permissible exposure values for air- borne contaminants	
ACGIH / TWA	:	8-hour, time-weighted average	
CA AB OEL / TWA	:	8-hour Occupational exposure limit	
CA AB OEL / STEL	:	15-minute occupational exposure limit	
CA QC OEL / TWAEV	:	Time-weighted average exposure value	
CA QC OEL / STEV	:	Short-term exposure value	

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC -No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS -Workplace Hazardous Materials Information System

For Copy of SDS : Internet: lubricants.petro-canada.com/sds Western Canada, telephone: 1-800-661-1199; fax: 1-800-378-4518 Ontario & Central Canada, telephone: 1-800-268-5850; fax: 1-800-201-6285

HYDREX ^{™/MC} MV 32



000003003885

Version 3.1	Revision Date 2020/02/06	Print Date 2020/02/06
	Quebec & Eastern Canada, telept 1-800-201-6285 For Product Safety Information: 1	
Prepared by	: Product Safety: +1 905-491-0565	
Revision Date	: 2020/02/06	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN