### LAFRENTZ SYSTEM 300 THERMOPLASTIC ROADMARKING MATERIAL ALL FORMULAS

### **MATERIAL SAFETY DATA SHEET**

# **SECTION 1 - PRODUCT IDENTIFICATION AND USE**

Product Identifier:

Lafrentz Formulas 300 Series

Product Use:

Permanent plastic traffic lines and markings

Manufactured and Supplied By: Lafrentz Road Marking A Division of Canadian Road Builders Inc. Zone 4, 1-26228 Township Road 530A Acheson, Alberta, Canada T7X 5A7 Phone: 780-962-7800 Fax: 780-960-1666

NOT A DANGEROUS GOOD NOT A CONTROLLED SUBSTANCE

## **SECTION 2 - HAZARDOUS INGREDIENTS**

HAZARDOUS INGREDIENTS:	NONE
SECTION 3 - PHYSICAL DATA	
PHYSICAL STATE:	SOLID
APPEARANCE:	WHITE OR YELLOW SOLID BLC
ODOUR THRESHOLD:	INODOROUS AT 77F (25C)
VAPOUR PRESSURE:	AT 77F (25C) VERY LOW (NOT MEASURABLE)
VAPOUR DENSITY (air = 1):	C.A. 40 ESTIMATED FORM AVERAGE MOLECULAR WT.
EVAPORATION RATE:	not applicable
BOILING POINT:	not applicable

BLOCK

FREEZING POINT:	not applicable
PH (acidity - alkalinity):	NEUTRAL
SPECIFIC GRAVITY H20=1:	not applicable
COEFF. WATER/OIL DIST.:	not applicable
SECTION 4 - FIRE AND EXPLOSION DATA	
FLAMMABILITY:	not applicable due to low vapour pressure
MEANS OF EXTINCTION:	USUAL METHODS. IN CASE THE MATERIAL IS BURNING IN THE COOKER DUE TO INAPPROPRIATE OVERHEATING WE RECOMMEND INTERRUPTING AIR SUPPLY BY CLOSING THE FILLER OPENING.
FLASH POINT:	> 536 (280C) C.O.C. ASTM D92
UPPER FLAMMABILITY LIMIT:	not applicable
LOWER FLAMMABILITY LIMIT:	not applicable
AUTO IGNITION TEMPERATURE:	> 536F (280C)
HAZARDOUS COMBUSTION PRODUCTS:	not applicable
SENSITIVITY TO IMPACT:	not applicable
SENSITIVITY TO STATIC DISCHARGE:	not applicable
SENSITIVITY TO STATIC DISCHARGE:	not applicable
SECTION 5 - REACTIVITY DATA	
CHEMICAL STABILITY:	EXTREMELY HIGH TEMPERATURES
INCOMPATIBLE MATERIALS:	not applicable
CONDITIONS OF REACTIVITY:	not applicable
POSSIBLE HAZARDOUS DECOMPOSION PRODUCTS:	not applicable

# **SECTION 6 - TOXICOLOGICAL PROPERTIES**

not applicable not applicable not applicable not applicable not applicable
not applicable
not applicable not applicable
not applicable
not applicable

# **SECTION 7 - PREVENTIVE MEASURES**

PERSONAL PROTECTIVE EQUIPMENT:

GLOVES:	WORK GLOVES WHEN MATERIAL IS
	HEATED TO LIQUID FORM
RESPIRATORY:	not applicable
EYES:	not applicable
FOOTWEAR:	SAFETY FOOTWEAR WHEN HANDLING
	MOLTEN MATERIAL TO PREVENT
	BURNS IF MATERIAL IS SPILLED
CLOTHING:	USE SHIRTS, LONG PANTS, GLOVES
	AND KEVLAR SLEEVES WHEN
	HANDLING MOLTEN MATERIAL TO
	PREVENT BURNS IF MATERIAL IS
	SPILLED.

ENGINEERING CONTROLS:

not applicable

LEAK AND SPILL PROCEDURE:

ALLOW TO COOL AND SOLIDIFY, THEN DISPOSE.

\_\_\_\_\_

WASTE DISPOSAL:

SANITARY LANDFILL

HANDLING PROCEDURES AND EQUIPMENT:

STORAGE REQUIREMENTS:	not applicable

SPECIAL SHIPPING INFORMATION: not applicable

### **SECTION 8 - FIRST AID MEASURES**

SKIN:	not applicable
EYE:	not applicable
INHALATION:	not applicable
INGESTION:	not applicable

### **SECTION 9 - PREPARATION DATE OF MSDS**

\_\_\_\_\_

PREPARED BY: LAFRENTZ ROAD MARKING, A Division of Canadian Road Builders Inc. – Production Department DATE: October 26, 2016

PHONE NUMBER: (780) 962-7800

#### Notice

The data contained herein is based on information that Lafrentz Road Marking, A Division of Canadian Road Builders Inc. believes to be reliable, but no expressed or implied warranty is made with regard to the accuracy of such data or its suitability for a given situation. Such data relates only to the specific product described and not to such product in combination with any other product and no agent of Lafrentz Road Marking, A Division of Canadian Road Builders Inc. is authorized to vary any of such data. Lafrentz Road Marking, A Division of Canadian Road Builders Inc. and its agents disclaim all liability for any actions taken or forgone on reliance upon such data.